



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

Plu
006788

D206-642-312BL
Job Sheet 186086



Part No: D206-642-312BL

Job Qty: 1 ea

Part Name: Skidtube RH, Low & High Gear with Standard Wearplates (Ael Blue)



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 11/9/18

Job Tracking No:

Due Date: 12/14/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG REV Q SHEETS 29-30 IPP Rev: J 05.10.11 Added D3429-1 per CHG004 KJ/CP/JLM/EC IPP Rev:K 07-12-04 ECN 1080p DD verified by:ec IPP Rev:L 08-09-29 as per DSI9421 DD verified by: EC IPP Rev:M 09-03-02 as per DSI9440 rev.a verified by:EC IPP Rev:N 09-03-03 as per DSI9421 rev.b verified by:EC IPP Rev:O as per REV.N DD 10.04.19 verified by:EC IPP Rev:P 14.04.25 ECN14-520 DD verf:JLM IPP REV:Q 15.10.09 ADDED BL DD VERF:JLM

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Lead Time	Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier			
90	Start up Operation	1 Ea	12/14/18	12/14/18	0.00	0.00	Start Up Stores/Pkg-1			NOV 30 2018
110	Packaging	1 pcs	12/14/18	12/14/18	0.00	0.00	Packaging1-2			NOV 30 2018
120	QC	1 pcs	12/14/18	12/14/18	0.00	0.00	QC4			46 DAS 1 1 2018
130	Packaging	1 pcs	12/14/18	12/14/18	0.00	0.00	Packaging3-1			46 DAS 1 1 2018
135	DC	1 pcs	12/14/18	12/14/18	0.00	0.00	DC			21 9-89 DEC 1 2 2018
140	QC21-FG	1 Ea	12/14/18	12/14/18	0.00	0.00	QC21			21 9-89 DEC 1 2 2018

Part Op 130 - Identify and pack for shipping as per PPP D206-642-312 Location: _____
Descriptions: 135 - Photocopy bluefile and create labels per PPP D206-642-312 CHG008

PPP Rev: _____

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
AN3-41A	Bolt	8 Ea (8 ea)	90-Start up Operation	5038750
AN4-6A	Bolt	12 Ea (12 ea)	90-Start up Operation	5038750
AN4C5A	Bolt	1 Ea (1 ea)	90-Start up Operation	5019107
AN5-10A	Bolt	4 Ea (4 ea)	90-Start up Operation	5089283
AN5-11A	Bolt	8 Ea (8 ea)	90-Start up Operation	5003927
AN5-12A	Bolt	4 Ea (4 ea)	90-Start up Operation	5003926
D206-642-341BL	Replacement Skidtube (Fits LH or RH)	1 Ea (1 ea)	90-Start up Operation	512774K
D206-648-013BL	Ground Handling Wheel Modification	1 Ea (1 ea)	90-Start up Operation	5136188
D2652	Bushing	16 Ea (16 ea)	90-Start up Operation	5122721
D2712	Set Screw	10 Ea (10 ea)	90-Start up Operation	5059551
D2932-2BL	Saddle RH Out, 206	1 Ea (1 ea)	90-Start up Operation	5018221
D2933-2BL	Saddle RH In, 206	1 Ea (1 ea)	90-Start up Operation	5013864
D2934	Saddle Spacer	2 Ea (2 ea)	90-Start up Operation	5054584
D2935	Saddle Spacer	2 Ea (2 ea)	90-Start up Operation	5054582
D2938-2BL	Saddle RH Out, 206	1 Ea (1 ea)	90-Start up Operation	5016579
D2939-2BL	Saddle RH In, 206	1 Ea (1 ea)	90-Start up Operation	5018979
D3407-043BL	Tow Ring, Blue Prime/Paint	1 Ea (1 ea)	90-Start up Operation	5013079
D3413-1BL	O-Ring	1 Ea (1 ea)	90-Start up Operation	5049855
D3456-1	Washer	1 Ea (1 ea)	90-Start up Operation	5079335

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐ AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Cross tube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>	Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐		<table style="width:100%;"> <tr> <td style="width:33%;">Step #:</td> <td style="width:33%;">QTY Effective :</td> <td style="width:34%;">MRB (QSI042) Approval</td> </tr> <tr> <td colspan="2" style="height: 200px; vertical-align: top;"> <table style="width:100%;"> <tr> <th style="width:50%;">Work Order Deviation</th> <th style="width:50%;">Disposition</th> </tr> <tr> <td style="height: 150px;"></td> <td style="height: 150px;"></td> </tr> </table> </td> <td style="vertical-align: top;"> Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval </td> </tr> </table>	Step #:	QTY Effective :	MRB (QSI042) Approval	<table style="width:100%;"> <tr> <th style="width:50%;">Work Order Deviation</th> <th style="width:50%;">Disposition</th> </tr> <tr> <td style="height: 150px;"></td> <td style="height: 150px;"></td> </tr> </table>		Work Order Deviation	Disposition			Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																								
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																								
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																								
Large Fab ☐	Composite ☐	Supplier ☐																									
Step #:	QTY Effective :	MRB (QSI042) Approval																									
<table style="width:100%;"> <tr> <th style="width:50%;">Work Order Deviation</th> <th style="width:50%;">Disposition</th> </tr> <tr> <td style="height: 150px;"></td> <td style="height: 150px;"></td> </tr> </table>		Work Order Deviation	Disposition			Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																					
Work Order Deviation	Disposition																										

Root Cause	FAULT CATEGORY				
<table style="width:100%;"> <tr> <td style="width:50%;"> Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ </td> <td style="width:50%;"> No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐ </td> </tr> </table>	Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	<table style="width:100%;"> <tr> <td style="width:50%;"> Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ </td> <td style="width:50%;"> Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ </td> </tr> </table>	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				
Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐				

Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
--	---

OTHER : _____

Dart Aerospace Ltd.

1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL : 1 813 632-5200
Email: sales@dartaero.com
www.dartaero.com

Container No: S136883



Part: D206-642-312BL

Job No: 186086

Serial No/Batch: S136883

Revision:

Inspector:

Exp Date:

Instructions: TC STC SH98-4 Issue 2015A2 STC SA004755I

D3457-1	Washer	2 Ea (2 ea)	90-Start up Operation
MS21042L3	Nut	8 Ea (8 ea)	90-Start up Operation
MS21042L4	Nut	12 Ea (12 ea)	90-Start up Operation
MS21043-4	Nut	1 Ea (1 ea)	90-Start up Operation
NAS1149C0463R	Washer	1 Ea (1 ea)	90-Start up Operation
NAS1149D0363J	Washer	8 Ea (8 ea)	90-Start up Operation
NAS1149D0463J	Washer	24 Ea (24 ea)	90-Start up Operation
NAS1149D0563J	Washer	8 Ea (8 ea)	90-Start up Operation

5088582
5094592
50109736
5092790
5104373
5107782
5092780
5050053

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	AN3-41A	8	122	0
	AN4-6A	12	726	0
	AN4C5A	1	62	0
	AN5-10A	4	253	0
	AN5-11A	8	88	0
	AN5-12A	4	357	0
	D206-642-341BL	1	0	0
	D206-648-013BL	1	0	0
	D2652	16	253	0
	D2712	10	537	0
	D2932-2BL	1	2	0
	D2933-2BL	1	3	0
	D2934	2	57	0
	D2935	2	62	0
	D2938-2BL	1	2	0
	D2939-2BL	1	2	0
	D3407-043BL	1	15	0
	D3413-1BL	1	4	0
	D3456-1	1	159	0
	D3457-1	2	43	0
	MS21042L3	8	2,035	0
	MS21042L4	12	2,459	0
	MS21043-4	1	792	0
	NAS1149C0463R	1	487	0
	NAS1149D0363J	8	2,153	0
	NAS1149D0463J	24	3,231	0
	NAS1149D0563J	8	1,372	0

Part Specifications

Specifications could not be found.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

4.5 206 L/L-1/L-3/L-4/407 LOW & HIGH GEAR SKIDTUBES

ITEM	QTY -311	QTY -312	QTY -313	QTY -314	QTY -341	QTY -357	QTY -349	QTY -351	QTY -013	PART NUMBER	DESCRIPTION
	X									D206-642-311	SKIDTUBE INSTALLATION, LH
		X								D206-642-312	SKIDTUBE INSTALLATION, RH
			X							D206-642-313	SKIDTUBE INSTALLATION, LH
				X						D206-642-314	SKIDTUBE INSTALLATION, RH
	1	1			X					D206-642-341	SKIDTUBE
						X				D206-642-357	WEARSHOE KIT (REPLACES -347)
							X			D206-642-349	RUN-ON LANDING WEARPLATE KIT
			1	1				X		D206-642-351	SKIDTUBE
	1	1	1	1					X	D206-648-013	GROUND HANDLING KIT
1					1					D2650-5	SKIDTUBE ASSEMBLY
1								1		D4361-041	SKIDTUBE ASSEMBLY
2A					14			4		D2651-1	* PLUG ⁽¹⁾
2B					14			4		D2651-3	* O-RING ⁽¹⁾
3					1			1		D2646	* AFT CAP ⁽¹⁾
4					2			2		MS27039-1-08	* SCREW ⁽¹⁾
5					2			2		NAS1149D0332J	* WASHER ⁽¹⁾ (OR AN960JD10L)
6	1		1							D2932-1	SADDLE, FWD OUT, LH
6		1		1						D2932-2	SADDLE, FWD OUT, RH
7	1		1							D2933-1	SADDLE, FWD IN, LH
7		1		1						D2933-2	SADDLE, FWD IN, RH
8	1		1							D2938-1	SADDLE, AFT OUT, LH
8		1		1						D2938-2	SADDLE, AFT OUT, RH
9	1		1							D2939-1	SADDLE, AFT IN, LH
9		1		1						D2939-2	SADDLE, AFT IN, RH
10	8	8	8	8						AN3-41A	BOLT
11	16	16	16	16						D2652	BUSHING
12A	8	8	8	8						MS21042-3	NUT (OR MS21042L3)
12B	8	8	8	8						NAS1149D0363J	WASHER (OR AN960JD10)
13	4	4	4	4						AN5-10A (OR AN5-11A)	* BOLT ⁽²⁾
14	4	4	4	4						AN5-11A (OR AN5-12A)	* BOLT ⁽²⁾
15	8	8	8	8						NAS1149D0563J	WASHER (OR AN960JD516)
16	12	12	12	12						AN4-6A	BOLT
17	24	24	24	24						NAS1149D0463J	WASHER (OR AN960JD416)
18	12	12	12	12						MS21042-4	NUT (OR MS21042L4)
20A					6	6				D3537-1	WEARPAD (REPLACES D2648-3)
21A					1	1				D3537-3	WEARPAD (REPLACES D3429-1)
22A					1	1				D4956-11	WEARSHOE (REPLACES D3535-11 + D3536-11)
23A					1	1				D4956-23	WEARSHOE (REPLACES D3535-23 + D3536-23)
24A					1	1				D4956-35	WEARSHOE (REPLACES D3535-35 + D3536-35)
26A					54	54				MS27039C1-08	SCREW
26B					54	54				NAS1149C0332R	WASHER (OR AN960C10L)
26C					54					ALS7-1032-130	* INSERT ⁽¹⁾ (or AKS4-1032-130, ALS4-1032-130, AELS-1032-130)
30	1	1	1	1						D3407-043	TOW RING ASSEMBLY (REPLACES D2968-043)
32A	1	1	1	1						D3456-1	WASHER
32B	2	2	2	2						D3457-1	WASHER
33	1	1	1	1						MS21043-4	NUT
34	1	1	1	1						AN4C5A	BOLT
35	1	1	1	1						NAS1149C0463R	WASHER (OR AN960C416)
36	1	1	1	1						D3413-1	RING (REPLACES D2655)
37	10	10	10	10						D2712	SET SCREW
38	2	2	2	2						D2934	SADDLE SPACER
39	2	2	2	2						D2935	SADDLE SPACER
40									2	D3414-041	GHW LUG (REPLACES D2659)
41									4	AN3C37A	BOLT
42									8	D2652	BUSHING
43									4	MS21043-3	NUT
44									4	NAS1149C0363R	WASHER (OR AN960C10)

• COPYRIGHT © 2000 BY DART AEROSPACE USA, INC. •

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC

Revision: Q

Date: 13.08.12

